Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"10/680122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 17:59
L2	2	"5764699".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:10
L3		99/12304	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:10
L4	6	99/12304	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:11
L5	632	"12304"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:11
L6	1	"12304" and ericsson	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON -	2006/11/02 20:12
L7	. 0	"combination of modulation"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/02 20:12

L8	0	"enabliong flexible link"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:12
L9	. 5	"enabling flexible link"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:19
L10	2	MCS and ((BLER adj threshold) with (table or tabulate\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:23
L11	2	MCS and ((BLER adj threshold) same (table or tabulate\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/02 20:23
L12	1	MCS and ((BLER adj threshold) and (table or tabulate\$1)) and low with diversity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:24
L13		MCS and (BLER adj threshold) and low with diversity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:25
L14	1	MCS and (BLER adj threshold) and (user with mobility)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	. OR	ON	2006/11/02 20:24

L15	1	MCS and (BLER adj threshold) and	US-PGPUB;	OR	ON	2006/11/02 20:20
	1	user with diversity	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OK	OIV	2006/11/02 20:29
L16	1	(MCS and (BLER adj threshold) and user with diversity)".clm"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:25
L17	2959	375/295	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:28
L19	3911	375/316	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:28
L20	2087	375/259	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:28
L21	. 2	MCS and (BLER with threshold) and (user with mobil\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:31
L22	1	MCS and (BLER with threshold) and ((user with mobility) or ((high or low) with dversity))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:32

L23	58	MCS and BLER and threshold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:34
L24	1	23 and 17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:33
L25	1	23 and 19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:33
L26		23 and 20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR.	ON	2006/11/02 20:40
L27	87	(MCS or (modulation with coding with scheme)) and BLER and threshold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 21:18
L28	14	(MCS or (modulation with coding with scheme)) and BLER with threshold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:35
L29	3	27 and 20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:40

L30	2	27 and 19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:40
L31	2	27 and 17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 20:40
L32	87	((MCS or (modulation with coding with scheme)) and BLER and threshold)".clm"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/11/02 21:18
L33	6	((MCS or (modulation with coding with scheme)) and BLER and threshold).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 21:19
L34		((MCS or (modulation with coding with scheme)) and BLER and threshold and (mobility or diversity)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 21:19

<u>Google</u>

 Web
 Images
 Video
 News
 Maps
 more »

 (MCS or (modulation with coding with scheme)
 Search
 Advanced Search Preferences

Try uppercase "OR" to search for either of two terms. [details]
The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web Results 1 - 10 of about 217 for (MCS or (modulation with coding with scheme)) and BLER with threshold. (0.:

Scholarly articles for (MCS or (modulation with coding with scheme)) and BLER with threshold



Performance improvement for real-time video ... - Kodikara - Cited by 4

Adaptive modulation switching level control in high ... - Lee - Cited by 6

An overview of EGPRS: the packet data component of EDGE - Molkdar - Cited by 20

[PDF] Threshold controlling scheme for adaptive modulation and coding ...

File Format: PDF/Adobe Acrobat

rule for different Modulation and Coding Scheme (MCS). In. this paper, adaptive

threshold ... (BLER). In this paper, different SIR threshold control ...

ieeexplore.ieee.org/iel5/9435/29981/01373918.pdf?

tp=&arnumber=1373918&isnumber=29981 - Similar pages

[PDF] Link Adaptation for Streaming Video in EGPRS Mobile Networks ...

File Format: PDF/Adobe Acrobat

This means that the BLER. threshold values should be dependant upon the channel-

coding ... the mobile link using a selected modulation-coding scheme. ...

ieeexplore.ieee.org/iel5/9530/30295/01391424.pdf - Similar pages

[More results from ieeexplore.ieee.org]

[PDF] Threshold Controlling Scheme for Adaptive Modulation and Coding System

File Format: PDF/Adobe Acrobat

MCS set for indoor and outdoor applications. MCS(#). Modulation. Coding Rate.

Condition. MCS(7) ... BLER=0.6. The above lower threshold controlling scheme ...

ietcom.oxfordjournals.org/cgi/reprint/E89-B/5/1598.pdf - Similar pages

EP1054526 Lucent european software patent - Method and apparatus ...

"(1)" Sn(C/I)=Rn (1-BLER (n,C/I)) where Sn(C/I) is the throughput (in kb/s) of the n-th

modulation/coding scheme as a function of C/I, Rn is the maximum ... gauss.ffii.org/PatentView/EP1054526 - 42k - Cached - Similar pages

[PDF] COMPARISON OF DATA THROUGHPUT PERFORMANCE IN GPRS, EGPRS, AND UMTS

File Format: PDF/Adobe Acrobat - View as HTML

link performance in terms of BLER for each user in a. measurement period. This mapping is

done by the ... EGPRS the Modulation and Coding Scheme (MCS). With ...

www.awe-communications.com/Docs/paper038ed7.pdf - Similar pages

Modulation Accuracy Troubleshooting

Therefore, the **modulation** and **coding scheme** used must be **MCS**-5, **MCS**-6, **MCS**-7 ... Additionally, this error is returned if the connection type is set to **BLER**, ... wireless agilent.com/rfcomms/refdocs/gsmgprs/ts_emac.php - 21k - <u>Cached</u> - <u>Similar pages</u>

[PDF] Link Adaptation for Streaming Video in EGPRS Mobile Networks

File Format: PDF/Adobe Acrobat - View as HTML

to the modulation-coding scheme used. This section describes ... This means that the

BLER. threshold values should be dependant upon the channel-coding ...

www.ee.surrey.ac.uk/Personal/S.Worrall/Publications/PID31133-streaming.pdf -

Similar pages

[PDF] Comparative downlink shared channel performance evaluation of ...

File Format: PDF/Adobe Acrobat - View as HTML

threshold, corresponding to a.certain. TTI. block error. rate (BLER,). of. IO%,. we may

http://www.google.com/search?sourceid=navclient&ie=UTF-8&rls=GGLD;GGLD:2004-30,GGLD:... 11/2/06

determine the suitable. modulation and coding scheme (MCS) for data ... bbcr.uwaterloo.ca/~pinhan/ECE710/WCDMA_Angela2.pdf - Similar pages

[PDF] 1. Introduction 2. Modulation and Coding Adaptation

File Format: PDF/Adobe Acrobat - View as HTML

Scheme. Modulation. Maximum. rate [kb/s]. Code Rate. Family. MCS-9 ... Figure 3 shows the control channel BLER distribution for both 3/9- and 4/12-reuse ... www.3gamericas.org/pdfs/perf.pdf - Similar pages

[PDF] Agilent E6704A EGPRS Lab Application

File Format: PDF/Adobe Acrobat - View as HTML

downlink modulation coding, scheme, uplink modulation coding ... FCS for BLER: valid or corrupt. • Payload patterns in ETSI B or. for BLER with corrupt FCS: ... www.home.agilent.com/agilent/redirector.jspx?action=ref& cname=AGILENT_EDITORIAL&ckey=317784&l... - Similar pages

> Result Page: 1 2 3 4 5 6 7 8 9 10

Free! Speed up the web. Download the Google Web Accelerator.

Next

(MCS or (modulation with coding wit | Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

<u>Google</u>

Web Images Video News Maps more » Advanced Search (MCS or (modulation with coding with scheme | Search **Preferences**

Try uppercase "OR" to search for either of two terms. [details]

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web Results 1 - 10 of about 217 for (MCS or (modulation with coding with scheme)) and BLER with threshold. (0.;

Scholarly articles for (MCS or (modulation with coding with scheme)) and BLER with threshold



Performance improvement for real-time video ... - Kodikara - Cited by 4 Adaptive modulation switching level control in high ... - Lee - Cited by 6 An overview of EGPRS: the packet data component of EDGE - Molkdar - Cited by 20

[PDF] Threshold controlling scheme for adaptive modulation and coding ...

File Format: PDF/Adobe Acrobat

rule for different Modulation and Coding Scheme (MCS). In. this paper, adaptive

threshold ... (BLER). In this paper, different SIR threshold control ...

ieeexplore.ieee.org/iel5/9435/29981/01373918.pdf?

tp=&arnumber=1373918&isnumber=29981 - Similar pages

[ррг] Link Adaptation for Streaming Video in EGPRS Mobile Networks ...

File Format: PDF/Adobe Acrobat

This means that the BLER. threshold values should be dependant upon the channel-

coding ... the mobile link using a selected modulation-coding scheme. ...

ieeexplore.ieee.org/iel5/9530/30295/01391424.pdf - Similar pages

[More results from ieeexplore.ieee.org]

[PDF] Threshold Controlling Scheme for Adaptive Modulation and Coding System

File Format: PDF/Adobe Acrobat

MCS set for indoor and outdoor applications. MCS(#). Modulation. Coding Rate.

Condition. MCS(7) ... BLER=0.6. The above lower threshold controlling scheme ...

ietcom.oxfordjournals.org/cgi/reprint/E89-B/5/1598.pdf - Similar pages

EP1054526 Lucent european software patent - Method and apparatus ...

"(1)" Sn(C/I)=Rn.(1-BLER (n,C/I)) where Sn(C/I) is the throughput (in kb/s) of the n-th

modulation/coding scheme as a function of C/I, Rn is the maximum ...

gauss.ffii.org/PatentView/EP1054526 - 42k - Cached - Similar pages

[PDF] COMPARISON OF DATA THROUGHPUT PERFORMANCE IN GPRS, EGPRS, AND UMTS

File Format: PDF/Adobe Acrobat - View as HTML

link performance in terms of BLER for each user in a. measurement period. This mapping is

done by the ... EGPRS the Modulation and Coding Scheme (MCS). With ...

www.awe-communications.com/Docs/paper038ed7.pdf - Similar pages

Modulation Accuracy Troubleshooting

Therefore, the modulation and coding scheme used must be MCS-5, MCS-6, MCS-7 ... Additionally, this error is returned if the connection type is set to BLER, ... wireless agilent.com/rfcomms/refdocs/gsmgprs/ts_emac.php - 21k - Cached - Similar pages

[PDF] Link Adaptation for Streaming Video in EGPRS Mobile Networks

File Format: PDF/Adobe Acrobat - View as HTML

to the modulation-coding scheme used. This section describes ... This means that the

BLER. threshold values should be dependent upon the channel-coding ...

www.ee.surrey.ac.uk/Personal/S.Worrall/Publications/PID31133-streaming.pdf -

Similar pages

[PDF] Comparative downlink shared channel performance evaluation of ...

File Format: PDF/Adobe Acrobat - View as HTML

threshold, corresponding to a certain. TTI. block error. rate (BLER,). of. IO%,. we may

determine the suitable. modulation and coding scheme (MCS) for data ... bbcr.uwaterloo.ca/~pinhan/ECE710/WCDMA_Angela2.pdf - Similar pages

[PDF] 1. Introduction 2. Modulation and Coding Adaptation

File Format: PDF/Adobe Acrobat - View as HTML

Scheme. Modulation. Maximum. rate [kb/s]. Code Rate. Family. MCS-9 ... Figure 3 shows the control channel BLER distribution for both 3/9- and 4/12-reuse ...

www.3gamericas.org/pdfs/perf.pdf - Similar pages

[PDF] Agilent E6704A EGPRS Lab Application

File Format: PDF/Adobe Acrobat - View as HTML

downlink modulation coding. scheme, uplink modulation coding ... FCS for BLER: valid

or corrupt. • Payload patterns in ETSI B or. for BLER with corrupt FCS: ...

www.home.agilent.com/agilent/redirector.jspx?action=ref&

cname=AGILENT EDITORIAL&ckey=317784&l... - Similar pages

Result Page:

1 2 3 4 5 6 7 8 9 10

Next

Free! Speed up the web. Download the Google Web Accelerator.

(MCS or (modulation with coding wit) Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

Google

Veb <u>Images Video News Maps **more** »</u>

MCS BLER threshold

Search

Advanced Search

Preferences

Web

Results 1 - 10 of about 307 for MCS BLER threshold. (0.45 seconds)

[PDF] Threshold Controlling Scheme for Adaptive Modulation and Coding System

File Format: PDF/Adobe Acrobat

switch to lower MCS) are controlled by a same target block. error rate (BLER). In this paper,

different SIR threshold con- ...

ietcom.oxfordjournals.org/cgi/reprint/E89-B/5/1598.pdf - Similar pages

[PDF] Threshold controlling scheme for adaptive modulation and coding ...

File Format: PDF/Adobe Acrobat

MCS) are controlled by a same target block error rate. (BLER). In this paper, different SIR

threshold control. strategies for higher and lower MCS switching ...

ieeexplore.ieee.org/iel5/9435/29981/01373918.pdf?

tp=&arnumber=1373918&isnumber=29981 - Similar pages

[PDF] Impact of imperfect link adaptation in EGPRS - 3G Mobile ...

File Format: PDF/Adobe Acrobat

switching. The MCS is selected that satisfies the. BLER threshold and maximises the

throughput. LA type: Perfect and Imperfect. The imperfect is ...

ieeexplore.ieee.org/iel5/7359/19962/00923553.pdf - Similar pages

[More results from ieeexplore.ieee.org]

Delay sensitive adaptive quality control loop for rate adaptation ...

That is, for example, channel condition **threshold** $\theta(2)$ should not be ... In step 320, the desired **MCS** error rate pd(m), whether based on **BLER** or BER, ... www.freepatentsonline.com/6915477.html - 50k - <u>Cached</u> - <u>Similar pages</u>

[PDF] Link Adaptation for Streaming Video in EGPRS Mobile Networks

File Format: PDF/Adobe Acrobat - View as HTML

different video source rates (corresponding to different MCS ... This means that the BLER.

threshold values should be dependent upon the channel-coding ...

www.ee.surrey.ac.uk/Personal/S.Worrall/Publications/PID31133-streaming.pdf -

Similar pages

[PDF] Agilent E6704A EGPRS Lab Application

File Format: PDF/Adobe Acrobat - View as HTML

schemes of MCS-1 through MCS-9. • GPRS multislot configurations of ... FCS for BLER:

valid or corrupt. • Payload patterns in ETSI B or ...

www.home.agilent.com/agilent/redirector.jspx?action=ref&

cname=AGILENT_EDITORIAL&ckey=317784&I... - Similar pages

[PDF] TSG-RAN Meeting #18 RP-020734 New-Orleans, USA, 0 3 - 06 December 2002

File Format: PDF/Adobe Acrobat - View as HTML

MCS. Modulation and Coding scheme ... 8.1.8 BLER threshold Void. BLER value that UE

uses for selecting the TFRC provided as a channel quality indicator. ...

www.3gpp.org/ftp/tsg_ran/TSG_RAN/TSGR_18/Docs/PDF/RP-020734.pdf - Similar pages

[PDF] 3GPP TSG RAN Meeting #21 RP-030464 Frankfurt, Germany, 16 - 19 ...

File Format: PDF/Adobe Acrobat - View as HTML

What is the threshold between p-t-p and p-t-m channels? 5 Conclusion ... Figure 2: MCS-1

BLER as a function of # transmissions with IR. ...

www.3gpp.org/ftp/tsg_ran/TSG_RAN/TSGR_21/Docs/PDF/RP-030464.pdf - <u>Similar pages</u> [<u>More results from www.3gpp.org</u>]

[PDF] EDGE Downlink Throughput Performance

File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
As the conditions get worse the **BLER** increases. rapidly until it reaches a certain **threshold** beyond which the BSS. chooses to switch to lower **MCS**, ... www.cos.ict.kth.se/publications/publications/2006/2500.pdf - <u>Similar pages</u>

[PDF] Nikolai Nefedov, Markku Pukkila, Raphael Visoz, and Antoine ...
File Format: PDF/Adobe Acrobat - View as HTML
feedback information available. STD utilises a fixed threshold. during all simulations. Fig. 5 shows block error rates (BLER) for TE receiver after ...
lib.tkk.fi/Diss/2003/isbn9512267179/article6.pdf - Similar pages

Result Page: 1 2 3 4 5 6 7 8 9 10

Free! Speed up the web. Download the Google Web Accelerator.

MCS BLER threshold

Search

Next

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

Google Web Images Video News Maps

MCS BLER threshold "low user mobility"

Search Advanced Search Preferences

Web

Results 1 - 1 of 1 for MCS BLER threshold "low user mobility". (0.32 seconds)

more »

Tip: Try removing quotes from your search to get more results.

[PDF] HIGH PERFORMANCE WIRELESS NETWORKING: ADAPTATION OF THE NETWORKING ...

File Format: PDF/Adobe Acrobat - View as HTML

Although WLANs are inherently suited for low user mobility ... using the relation.

Throughput = [1 - BLER. C/l. c.] R. MCS-X. (2.19). where R. MCS-X ...

www.stanford.edu/~jatinder/PhDThesis.pdf - Similar pages

Free! Speed up the web. <u>Download the Google Web Accelerator</u>.

MCS BLER threshold "low user mob Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

<u>Google</u>

Web Images Video News Maps more »

Advanced Search MCS BLER threshold "low mobility" "high mob Search Preferences

Web

Results 1 - 10 of about 18 for MCS BLER threshold "low mobility" "high mobility". (0.36 seconds)

грьг Threshold Controlling Scheme for Adaptive Modulation and Coding System

File Format: PDF/Adobe Acrobat

switch to lower MCS) are controlled by a same target block, error rate (BLER). In this paper,

different SIR threshold con-...

ietcom.oxfordjournals.org/cgi/reprint/E89-B/5/1598.pdf - Similar pages

[PDF] Experiments on throughput performance above 100Mbps in forward ...

File Format: PDF/Adobe Acrobat

the low mobility in an isolated-cell environment. By introducing time ... BLER performance.

for each MCS. shows that the loss in the required average ...

ieeexplore.ieee.org/iel5/9004/28570/01285348.pdf - Similar pages

[РОБ] Experimental evaluation of throughput performance in broadband ...

File Format: PDF/Adobe Acrobat

The average received EJ" at the average BLER of IO-' is. plotted in Fig. 7. as a. function of

the ... threshold values for selecting the optimum MCS at the ...

ieeexplore.ieee.org/iel5/8905/28246/01264221.pdf - Similar pages

[More results from ieeexplore.ieee.org]

[PPT] Enhanced Data-rates for Global Evolution (EDGE): An Overview

File Format: Microsoft Powerpoint - View as HTML

Wide-area, low mobility, 384 kb/s; Wide-area, high mobility, 144 kb/s; Indoor, ... Coding

and puncturing for MCS-9; uncoded 8PSK, two RLC blocks per 20 ms ...

www.3gamericas.org/English/technology_center/

tutorials/edge_tutorial/edge_tutorial_2000.ppt - Similar pages

[PDF] APPENDICES FOR SECTION 1

File Format: PDF/Adobe Acrobat - View as HTML

Canada has extensive licensing activity for MCS and MDS ... As the results show,

interference threshold 1 for mobile 3G receivers is only met when ...

www.fcc.gov/3G/3gfinalreportappendices.pdf - Similar pages

[PDF] APPENDICES FOR SECTION 1

File Format: PDF/Adobe Acrobat - View as HTML

Threshold 1. d. -110 dBm in 1.25. MHz. -105 dBm in. 3.75 MHz. No. equivalent. See [13]. -

111 dBm in. 3.84 MHz. -105dBm. f. Interference. Threshold 2 ...

www.exroads.com/Reference_Tools/Wireless_Networking/pass.asp?

passvar=3gfinalreportappendices.pdf - Supplemental Result - Similar pages

[PDF] FINAL REPORT SPECTRUM STUDY OF THE 2500-2690 MHz BAND

File Format: PDF/Adobe Acrobat

144 kb/s or higher in high mobility (vehicular) traffic ... and a 1.6 MHz carrier component

for very high speed data (2 Mbit/s) in low mobility ...

www.wcai.com/pdf/2001/3G_fccfinalreport.pdf - Similar pages

[PDF] A Critical Review of Packet Data Services in Wireless Personal ...

File Format: PDF/Adobe Acrobat - View as HTML

coverage and 2Mbps for low mobility users in local coverage [1-4]. ... addition, the MS is

assigned a specific output power/rate threshold. ...

networks.ecse.rpi.edu/~yfshan/olddoc/report_peng.pdf - Supplemental Result -

Similar pages

(PDF) articolo 1

File Format: PDF/Adobe Acrobat

throughput low-mobility wireless scenarios, such as the high-. throughput WLAN of next

generation ... implemented the inner loop only, treating the BLER and ...

www.st.com/stonline/press/magazine/stjournal/vol01/pdf/vol11.pdf - Similar pages

[PDF] IST-2003-507581 WINNER D2.3 ver 1.0 Assessment of Radio-link ...

File Format: PDF/Adobe Acrobat

Figure 5.1.3: Required SNR to achieve **BLER** 1% for different coding ... The quasistatic

fading is applied due to the assumption of low mobility when the ...

https://www.ist-winner.org/DeliverableDocuments/D2.3.pdf - Similar pages

Result Page: 1 2 Next

Free! Speed up the web. Download the Google Web Accelerator.

MCS BLER threshold "low mobility" | Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

for scientific information only



About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

Advanced Search Search Preferences

MCS AND BLER AND threshold AND "low mobility" AND Search ✓ Journal sources ✓ Preferred Web sources ✓ Other Web sources ☐ Exact phrase Searched for:: :All of the words: MCS AND BLER AND threshold AND "low mobility" AND "high mobility" Found:: :1 total | 0 journal results | 0 preferred web results | 1 other web results Sort by:: :relevance | date Save checked results Email checked results Export checked results Did you mean? MCS baler threshold "low 1. <u>3gfinalreportappendices</u> [PDF-229K] mobility" "high mobility" Mar 2001 ...spectrum (5) planned geographical deployments (6) interference Or refine using: thresholds (ITU based if available) (7) potential relationship with All of the words other...expectancy (7) planned replacement systems (8) interference thresholds (ITU based if available) (9) unique operational features... [http://www.fcc.gov/3G/3gfinalreportappendices.pdf] Refine similar results

:::fast

Downloads | Subscribe to News Updates | User Feedback | Advertising Tell A Friend | Terms Of Service | Privacy Policy | Legal

Powered by FAST © Elsevier 2006



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "(((mcs<in>metadata) <and> (bler<in>metadata))<and> (threshold<in&g..."

☑e-mail 📇 printer

Your search matched 0 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

(((mcs<in>metadata) <and> (bler<in>metadata))<and> (threshold<in>metadata)

Check to search only within this results set

» Key

Display Format:

IEEE Journal or

Magazine

IEE JNL

IEE CNF

IEEE JNL

IEE Journal or Magazine

IEEE CNF IEEE Conference

Proceeding

IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin

Help Contact Us Privacy & Security

© Copyright 2006 IEEE - All Rights

indexed by inspec°



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "(((mcs<in>metadata) <and> (bler<in>metadata))<and> (mobility<in>..."

☑e-mail 🚇 printer

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

(((mcs<in>metadata) <and> (bler<in>metadata))<and> (mobility<in>metadata))

Check to search only within this results set

» Key

IEEE JNL

IEEE Journal or Magazine

IEE Journal or Magazine

IEE JNL

IEEE CNF

IEEE Conference

Proceeding

No results were found.

IEE CNF

IEE Conference Proceeding

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin

IEEE STD IEEE Standard

Help Contact Us Privacy & Security

© Copyright 2006 IEEE - All Rights

indexed by च्च Inspec



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "(((mcs<in>metadata) <and> (bler<in>metadata))) <and> (pyr >= 1950 &..."

☑e-mail 🚇 printer

Your search matched 0 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

(((mcs<in>metadata) <and> (bler<in>metadata))) <and> (pyr >= 1950 <and> pyr

Check to search only within this results set

» Key

Display Format:

IEEE JNL

IEEE Journal or

Magazine

IEE Journal or Magazine

IEE JNL

IEEE CNF

IEEE Conference

Proceeding

IEE CNF

IEE Conference

Proceeding

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin

IEEE STD IEEE Standard

Help Contact Us Privacy & Security

© Copyright 2006 IEEE - All Rights

indexed by m Inspec°



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "(((mcs<in>metadata) <and> (threshold<in>metadata))) <and> (pyr >= 1..."

☑e-mail 🖶 printer

Your search matched 2 of 1430374 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

(((mcs<in>metadata) <and> (threshold<in>metadata))) <and> (pyr >= 1950 <and)

Check to search only within this results set

view selected items

Display Format: © Citation C Citation & Abstract

» Kev

IEEE JNL

IEEE Journal or

Magazine

IEE JNL

IEE Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IEE CNF

IEE Conference Proceeding

IEEE STD IEEE Standard

Select All Deselect All

1. Studies of 3-dimensional voltage distributions induced in homogeneous media vo conductors by round and butterfly magnetic coils

Maccabee, P.J.; Eberle, L.; Amassian, V.E.; Cracco, R.Q.; Rudell, A.;

Engineering in Medicine and Biology Society, 1989. Images of the Twenty-First Century. Proceedings of the Annual International Conference of the IEEE Engineering in

9-12 Nov. 1989 Page(s):1259 - 1260 vol.4

Digital Object Identifier 10.1109/IEMBS.1989.96182

AbstractPlus | Full Text: PDF(152 KB) | IEEE CNF

Rights and Permissions

2. An experiment in standardizing software for a monitoring and control device for po stations

Amenta, C.; Caibis, A.; Valenti, A.;

Telecommunications Energy Conference, 1990. INTELEC '90., 12th International

21-25 Oct. 1990 Page(s):377 - 385

Digital Object Identifier 10.1109/INTLEC.1990.171275

AbstractPlus | Full Text: PDF(516 KB) IEEE CNF

Rights and Permissions

Contact Us Privacy & Security

© Copyright 2006 IEEE - All Rights

Indexed by inspec"



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "((mcs<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)" Your search matched 193 of 1430374 documents.

☑e-mail 🚇 printer

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

» Key

IEEE JNL

IEEE Journal or

Magazine

IEE JNL

IEE Journal or Magazine

IEEE CNF

IEEE Conference Proceeding

IEE Conference

IEE CNF

Proceeding

IEEE STD IEEE Standard

Modify Search

((mcs<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)

Search >

Check to search only within this results set

Select All Deselect All

View: 1-25 | 26-50 | 51-75

1. A chord stenograph keyboard: a possible solution to the learning problem in stenography

Beddoes, M.P.; Zhongzhi Hu;

Systems, Man and Cybernetics, IEEE Transactions on

Volume 24, Issue 7, July 1994 Page(s):953 - 960 Digital Object Identifier 10.1109/21.297785

AbstractPlus | Full Text: PDF(736 KB) IEEE JNL

Rights and Permissions

2. Performance evaluation of a multicasting scheme using multiple MCSs for reducin to-end path delay in ATM networks

Tae-Young Byun; Sung-Jin Heo; Joo-Ho Choi; Ki-Jun Han;

Internet Technologies and Services, 1999. Proceedings. First IEEE/Popov Workshop on

1999 Page(s):79 - 89

Digital Object Identifier 10.1109/INTS.1999.874010

AbstractPlus | Full Text: PDF(644 KB) IEEE CNF .

Rights and Permissions

3. Automated synthesis of microprogrammed controllers in digital systems

Sun, L.-F.; Liaw, J.-M.; Parng, T.-M.;

Computers and Digital Techniques, IEE Proceedings-

Volume 135, Issue 4, 7-11 Sep 1987 Page(s):231 - 240

AbstractPlus | Full Text: PDF(800 KB) | IEE JNL

4. A new multilevel codebook searching algorithm for vector quantization Г

Cao, H.Q.; Li, W.;

Circuits and Systems, 1995. ISCAS '95., 1995 IEEE International Symposium on

Volume 1, 28 April-3 May 1995 Page(s):441 - 444 vol.1

Digital Object Identifier 10.1109/ISCAS.1995.521545

AbstractPlus | Full Text: PDF(376 KB) IEEE CNF Rights and Permissions

5. Multiversion cautious schedulers for database concurrency control

Ibaraki, T.; Kameda, T.; Katoh, N.;

Software Engineering, IEEE Transactions on

Volume 16, Issue 3, March 1990 Page(s):302 - 315

Digital Object Identifier 10.1109/32.48938

AbstractPlus | Full Text: PDF(1280 KB) | IEEE JNL

Rights and Permissions

6. A multicasting scheme using multiple MCSs for reducing end-to-end path delay in Г networks Tae-Young Byun; Ki-Jun Han; System Sciences, 2000. Proceedings of the 33rd Annual Hawaii International Conference Jan 4-7 2000 Page(s):8 pp. vol.2 AbstractPlus | Full Text: PDF(192 KB) | IEEE CNF Rights and Permissions 7. An evaluation of microencapsulated PCM for use in cold energy transportation me Г Yamagishi, Y.; Sugeno, T.; Ishige, T.; Takeuchi, H.; Pyatenko, A.T.; Energy Conversion Engineering Conference, 1996. IECEC 96. Proceedings of the 31st Intersociety Volume 3, 11-16 Aug. 1996 Page(s):2077 - 2083 vol.3 Digital Object Identifier 10.1109/IECEC.1996.553442 AbstractPlus | Full Text: PDF(904 KB) | IEEE CNF Rights and Permissions -8. Reliability evaluation of a limited-flow network in terms of minimal cutsets Jane, C.-C.; Lin, J.-S.; Yuan, J.; Reliability, IEEE Transactions on Volume 42, Issue 3, Sept. 1993 Page(s):354 - 361, 368 Digital Object Identifier 10.1109/24.257817 AbstractPlus | Full Text: PDF(568 KB) | IEEE JNL Rights and Permissions 9. Microcalcifications as elastic scatterers under ultrasound Anderson, M.E.; Soo, M.S.C.; Trahey, G.E.; Ultrasonics, Ferroelectrics and Frequency Control, IEEE Transactions on Volume 45, Issue 4, July 1998 Page(s):925 - 934 Digital Object Identifier 10.1109/58.710559 AbstractPlus | Full Text: PDF(1088 KB) | IEEE JNL Rights and Permissions 10. Efficient Monte Carlo based reconstruction for general quantitative SPECT Beekman, F.J.; de Jong, H.W.A.M.; van Geloven, S.; Nuclear Science Symposium Conference Record, 2001 IEEE Volume 4, 4-10 Nov. 2001 Page(s):1864 - 1868 Digital Object Identifier 10.1109/NSSMIC.2001.1009187 AbstractPlus | Full Text: PDF(3316 KB) | IEEE CNF Rights and Permissions 11. A hybrid multiple MCS model for multicast over ATM networks Taeyoung Byun; Kijun Han; Information Networking, 2001. Proceedings. 15th International Conference on 31 Jan.-2 Feb. 2001 Page(s):927 - 932 Digital Object Identifier 10.1109/ICOIN.2001.905637 AbstractPlus | Full Text: PDF(464 KB) | IEEE CNF Rights and Permissions 12. Controller gain bounding in the minimal control synthesis algorithm Sebusang, S.E.M.; Stoten, D.P.; System Theory, 1998. Proceedings of the Thirtieth Southeastern Symposium on 8-10 March 1998 Page(s):141 - 145 Digital Object Identifier 10.1109/SSST.1998.660034 AbstractPlus | Full Text: PDF(424 KB) | IEEE CNF Rights and Permissions 13. Microcalcifications as elastic scatterers under ultrasound: implications for medica Г imaging Anderson, M.E.; Trahey, G.E.; Soo, M.S.; Bentley, R.C.;

<u>Ultrasonics Symposium, 1996. Proceedings., 1996 IEEE</u> Volume 2, 3-6 Nov. 1996 Page(s):1463 - 1467 vol.2 Digital Object Identifier 10.1109/ULTSYM.1996.584343

AbstractPlus | Full Text: PDF(432 KB) IEEE CNF

Rights and Permissions

14. Novel robust adaptive control for high performance field oriented control drives

Bowes, S.R.; Jian Li; Stoten, D.P.;

Industry Applications Conference, 1996. Thirty-First IAS Annual Meeting, IAS '96., Confe

Record of the 1996 IEEE

Volume 1, 6-10 Oct. 1996 Page(s):418 - 425 vol.1

Digital Object Identifier 10.1109/IAS.1996.557060

AbstractPlus | Full Text: PDF(584 KB) | IEEE CNF

Rights and Permissions

15. Evolution of NTT high-capacity land mobile communication system Г

Watanabe, K.; Imamura, K.;

Communications, 1989. ICC 89, BOSTONICC/89. Conference record. World Prosperity

Communications, IEEE International Conference on

11-14 June 1989 Page(s):462 - 466 vol.1

Digital Object Identifier 10.1109/ICC.1989.49740

AbstractPlus | Full Text: PDF(292 KB) | IEEE CNF

Rights and Permissions

16. A strategy to support MCS over native ATM service

Su-Yeon Kim;

Southeastcon '96. 'Bringing Together Education, Science and Technology'., Proceedings

11-14 April 1996 Page(s):582 - 585

Digital Object Identifier 10.1109/SECON.1996.510139

AbstractPlus | Full Text: PDF(308 KB) | IEEE CNF

Rights and Permissions

17. Arbitrarily varying multiple-access channels. II. Correlated senders' side informati correlated messages, and ambiguous transmission

Ahlswede, R.; Ning Cai;

Information Theory, IEEE Transactions on

Volume 45, Issue 2, March 1999 Page(s):749 - 756

Digital Object Identifier 10.1109/18.749025

AbstractPlus | References | Full Text: PDF(432 KB) | IEEE JNL

Rights and Permissions

18. Acquisition-time minimization and merged-capacitor switching techniques for san rate and resolution improvement of CMOS ADCs

Young-Deuk Jeon; Seung-Chul Lee; Sang-Min Yoo; Seung-Hoon Lee;

Circuits and Systems, 2000. Proceedings. ISCAS 2000 Geneva. The 2000 IEEE Interna Symposium on

Volume 3, 28-31 May 2000 Page(s):451 - 454 vol.3

Digital Object Identifier 10.1109/ISCAS.2000.856094

AbstractPlus | Full Text: PDF(400 KB) IEEE CNF

Rights and Permissions

19. Evaluation of PAMS' adaptive management services

Kim, Y.; Hariri, S.; Djunaedi, M.;

Heterogeneous Computing Workshop, 2000. (HCW 2000) Proceedings. 9th

1 May 2000 Page(s):53 - 59

Digital Object Identifier 10.1109/HCW.2000.843732

AbstractPlus | Full Text: PDF(956 KB) | IEEE CNF

Rights and Permissions

Methods for dynamic classifier selection

Giacinto, G.; Roli, F.;

Image Analysis and Processing, 1999. Proceedings. International Conference on

27-29 Sept. 1999 Page(s):659 - 664

Digital Object Identifier 10.1109/ICIAP.1999.797670

AbstractPlus | Full Text: PDF(52 KB) | IEEE CNF

Rights and Permissions

21. Optimization of computing systems multiprocessor architecture with designing re systems

Pogrebnoy, V.K.; Pogrebnoy, D.V.;

Science and Technology, 1999. KORUS '99. Proceedings. The Third Russian-Korean International Symposium on

Volume 1, 22-25 June 1999 Page(s):269 - 272 vol.1 Digital Object Identifier 10.1109/KORUS.1999.875922

AbstractPlus | Full Text: PDF(272 KB) IEEE CNF

Rights and Permissions

22. An efficient communication scheme for multicasting on ATM networks Г

Tsang-Ling Sheu; Wei-Dar Peng;

Global Telecommunications Conference, 1998. GLOBECOM 98. The Bridge to Global

Integration. IEEE

Volume 4, 8-12 Nov. 1998 Page(s):2381 - 2386 vol.4 Digital Object Identifier 10.1109/GLOCOM.1998.775954

AbstractPlus | Full Text: PDF(360 KB) IEEE CNF

Rights and Permissions

23. Arbitrarily varying multiple-access channels. II. Correlated sender's side informati correlated messages, and ambiguous transmission

Ahlswede, R.; Cai, N.;

Information Theory, 1997, Proceedings., 1997 IEEE International Symposium on

29 June-4 July 1997 Page(s):23

Digital Object Identifier 10.1109/ISIT.1997.612938

AbstractPlus | Full Text: PDF(96 KB) | IEEE CNF

Rights and Permissions

24. A generic protocol for multipoint connections under link-state routing

Yih Huang; McKinley, P.K.;

Distributed Computing Systems, 1996., Proceedings of the 16th International Conference

27-30 May 1996 Page(s):335 - 343

Digital Object Identifier 10.1109/ICDCS.1996.507932

AbstractPlus | Full Text: PDF(704 KB) IEEE CNF

Rights and Permissions

25. Generating function approach for discrete queueing analysis with decomposable and service Markov chains

Li, S .- q .;

INFOCOM '92. Eleventh Annual Joint Conference of the IEEE Computer and Communic

Societies. IEEE

4-8 May 1992 Page(s):2168 - 2177 vol.3

Digital Object Identifier 10.1109/INFCOM.1992.263424

AbstractPlus | Full Text: PDF(716 KB) | IEEE CNF

Rights and Permissions

View: 1-25 | 26-50 | 51-75

Contact Us Privacy & Security

Copyright 2006 IEEE - All Rights

indexed by inspec



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "(((mcs<in>metadata) <and> (thresholds<in>metadata))) <and> (pyr >= ..."

☑e-mail 🖶 printer

Your search matched 2 of 1430374 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

Select All Deselect All

Check to search only within this results set

_

view selected items

» Key IEEE JNL

IEEE Journal or

Magazine

IEE JNL

IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF

IEE Conference Proceeding

IEEE STD IEEE Standard

1. Studies of 3-dimensional voltage distributions induced in homogeneous media vo conductors by round and butterfly magnetic coils

Maccabee, P.J.; Eberle, L.; Amassian, V.E.; Cracco, R.Q.; Rudell, A.;

Engineering in Medicine and Biology Society, 1989. Images of the Twenty-First Century.

Proceedings of the Annual International Conference of the IEEE Engineering in

9-12 Nov. 1989 Page(s):1259 - 1260 vol.4

Digital Object Identifier 10.1109/IEMBS.1989.96182 ·

AbstractPlus | Full Text: PDF(152 KB) | IEEE CNF

Rights and Permissions

2. An experiment in standardizing software for a monitoring and control device for p stations

Amenta, C.; Caibis, A.; Valenti, A.;

Telecommunications Energy Conference, 1990. INTELEC '90., 12th International

21-25 Oct. 1990 Page(s):377 - 385

Digital Object Identifier 10.1109/INTLEC.1990.171275

AbstractPlus | Full Text: PDF(516 KB) | IEEE CNF

Rights and Permissions

Contact Us Privacy & Security

© Copyright 2006 IEEE - All Rights

Indexed by inspec